



 **Lakeland**®
Protect Your People®





Firefighters Turnout Gear



FIREFIGHTERS TURNOUT GEAR




Measuring Instructions

US Sizes for Attack, Battalion™ and Stealth™ Series

Coat Size	SM/34	MD/38	LG/42	XL/46	2X/50	3X/54
Body Height	165	170	175	180	185	190
Chest Girth	117	127	137	147	157	167
Sleeve Length	83	86	89	93	97	100

Pants Size	SM/30	MD/34	LG/38	XL/42	2X/46	3X/50
Body Height	165	170	175	180	185	190
Waist Girth	87	97	107	117	127	137

Unit: cm



European Sizes for CEOSX1000 Series

size	SM	MD	LG	XL	2X	3X
Body Height	165	170	175	180	185	190
Chest Girth	128	132	136	140	148	152
Sleeve Length	81	84	85	86	87	89
Waist Girth	92	100	104	112	116	120
Pants Length	103	103	104	104	105	105

Unit: cm

CE FIRE FIGHTING SUITS



CEOSX1000

- CEOSX1000 is the new fire fighting gear designed and developed by Lakeland which includes coat and bib pants, and has got the EN469-2005 certification.
- The garment material has three layers, and that is outer shell, moisture and insulation layer and liner for comfort.

CEOSX1000 Materials



Outer shell

Outer shell: Rip-stop fabric, 75%Meta-aramid/23%Para-aramid/2%Anti-static,203g/m²

Moisture Barrier

Moisture and heat insulation layer: 12%Waterproof breathable membrane on meta-aramid/88%para-aramid felted thermal barrier ,170g/m²

Thermal Liner

Liner: 50%FR modacrylic /50%Lenzing fabric, soft and comfortable with excellent FR resistance 120g/m²

Coat

1	Throat tab features scooped design for a better interface with helmet, shroud and SCBA mask.
2	Radio Pocket with a leaking hole on left chest, has velcro on the top, can hang firefighter badges, Flashlight snap and strap on right.
3	Ergonomically correct 2-panel curved sleeve follows arm range of movement.
4	Underarm gusset allows arms to be raised with minimal coat rise.
5	Flame retardant elastic knitted cuff design, prevent high temperature small objects or burning ashes into the cuff.
6	Kevlar knit wrists.
7	Coat pocket(With Drainage grommets).
8	"Easy Grip" DRD (Drag Rescue Device) can be employed with one hand.
9	7.5cm 3M reflective stripe.
10	Jacket liner inspection port.



8. DRD Device



10. 136RL



Pants

11	4-piece design.
12	Double stitched major seams with 8-10 stitches per inch.
13	Liner inspection opening.
14	Nomex twill take up straps.
15	Pants pockets on both side, Rescue tools can be placed.
16	Three diamond-shaped gussets can reduce the stress on the crotch and increase abrasion resistance.
17	Knee reinforcements. Increased water resistance and abrasion resistance.
18	Waterproof fabric stitched at the end, prevent siphon.
19	7.5cm 3M reflective stripe.
20	8-point X-back suspenders.

Available colors	Sizes	Case Pack
Navy, Yellow	S-3XL	1 Suit/Case